

The Knowledge Bank at The Ohio State University

Ohio State Engineer

Title: Fluorescent Lighting

Creators: Horine, Rosella

Issue Date: 1944-05

Publisher: Ohio State University, College of Engineering

Citation: Ohio State Engineer, vol. 27, no. 6 (May, 1944), 22-24.

URI: <http://hdl.handle.net/1811/36085>

FLUORESCENT LIGHTING

By ROSELLA HORINE, ENGR. I


NOT unlike the evolution of the modern automobile from the buggy and the horseless carriage, fluorescent lights are replacing incandescent lamps; man progressed to the place where he substituted an electric light bulb in the place of a group of candles; over a period of years, improvements were made until an entirely new type of lighting evolved—the fluorescent lamp.

The fluorescent lamp consists essentially of a long cylindrical glass tube containing a tiny drop of mercury and a small amount of argon gas. Two small tungsten filaments, one at each end of the tube, start the ionization of the mercury vapor, at the introduction of the electric current, the argon generates sufficient heat to vaporize the mercury, which immediately begins carrying the current. Electrons, passing through the mercury vapor, cause it to become luminescent. This light, mixed with the light emitted by fluorescent chemicals which coat the inner surface of the glass tube illuminated by certain invisible ultraviolet rays given off by the mercury, is fluorescent light. Different chemical coats in the tube produce different colors of light.

This new lighting is rapidly gaining popularity; from 1938 to 1942 the sale of bulbs rose from two million to thirty million units. It has so many advantages over the incandescent lamp that after the war when production is resumed for civilian use the decoration of the American home will undergo a radical change in lighting. The fluorescent bulb life is about 2500 hours, compared to 1000 hours for the average incandescent lamp. Because it operates at a temperature of 100° to 120° Fahrenheit rather than the usual 260° to 400° Fahrenheit of incandescent bulbs, it helps in both conserving electrical energy and affords less competition for air conditioning systems. Its long cylindrical tube contains ten times the surface area of a comparable Edison bulb, enabling it to expel more light per unit area and to distribute it more evenly over this area. Thus, this diffused lighting will improve reading and working conditions. Correctly installed lights speed up defense production, eliminating glare and maintaining a firm distribution of light while helping the worker speed up his production work in a maximum amount of safety.

It looks as if fluorescent lights are here, and here to stay; but Mr. Average American will have to wait until after the war to test it for himself.


1



A fluorescent lamp consists of a glass tube, with a tiny drop of mercury and a small amount of argon gas in it. At each end there's a filament, so designed that it emits electrons freely when heated. The lamp

is connected to a supply of a-c electricity in such a manner that, in simplified form, the circuit looks like the sketch above.


2



If the switch is closed momentarily, electricity flows through the filaments of both ends of the tube. This

flow of electricity heats up the filaments and causes them to emit electrons as shown in the above sketch.


3



The alternating current changes its direction of flow many times a second. Thus, at any given moment in

the a-c cycle, one of the filaments has a positive polarity while the other filament is negative.

4



The argon gas in the tube conducts electricity at relatively low voltages; hence, if the switch is now open, the electrons emitted by a negative filament are attracted across this argon path to the other, or positive, filament, setting up an electric current through

the tube. This current, in passing through the argon gas, generates sufficient heat to vaporize the tiny drop of mercury; the mercury vapor also conducts electricity from one end of the tube to the other.

5




The bombardment of the filaments by electrons coming from the other end of the tube heats up the filaments sufficiently to cause them to emit electrons without the need of the original starting current. This heating of the filaments causes them to emit more

electrons, which cause more heating, and so on, the current flowing back and forth through the tube as the alternating current changes its direction. Here, of course, they are shown flowing one way only.

Radiant Energy Given Off by Mercury Vapor


6



When the mercury is vaporized, the electrons passing through the vapor cause it to become luminescent. A considerable portion of the radiant energy thus given off is concentrated in very small bands of light

of a definite wavelength. Some of this light is visible, but most of it is invisible ultraviolet rays, as this sketch illustrates.


7



The inner surface of the glass tube is coated with fluorescent chemicals which have the property of absorbing the invisible ultraviolet energy given off by the mercury vapor and reradiating it as visible wave-

lengths. This is the bright light we see when the tube is in normal operation. Various fluorescent chemicals can be chosen to give different colors.


8



Such a circuit, however, still would not operate satisfactorily, because (1) the flow of current through the gas decreases the resistance of the gas, permitting more current to flow; (2) the increased flow of current decreases the resistance still more, and so on; (3) such a continued increase in current flow would quickly be equivalent to a short circuit and destroy the tube. So something must be done to prevent this. By inserting a choke coil or "ballast" in series with

one side of the a-c supply, any decrease of resistance in the tube itself is automatically compensated for by a corresponding increase in the "resistance" of the ballast (because the "resistance" of the ballast increases as the current increases). Thus the ballast serves as an automatic regulator to maintain the amount of current flowing through the tube at a constant, predetermined value.


9



Actually, instead of starting the operation of the tube by means of a hand switch, an automatic starter is used. After the filaments are heated up by the bombardment of electrons, the automatic switch opens, for the current it controlled is no longer needed—

and current wouldn't flow through the tube, furthermore, when it could take the easier path through the starting switch. The sketch above shows a typical fluorescent circuit in simplified form, with a wall switch for turning the lamp on or off.

How LAMSON Found 24 Additional Workers . . . without increasing the payroll!



★ A large Detroit forge plant required two men, besides the operator, on each of 12 hammers, to lift forgings from a pit where they were dropped by the machines, to floor level and into trailer trucks.

Lamson engineers devised the 21-foot

pusher flight conveyor illustrated. As an immediate result of this Lamson installation, 24 men were released for more productive work. The confusion, delays and accident hazards of the old manual system were eliminated.

Lamson engineers have prepared a booklet called "Co-ordinated Control," explaining how conveyors and dispatch tubes can be made to integrate and co-ordinate production flow. You are sure to find it interesting. Send coupon for free copy.



LAMSON Corporation

LAMSON
Conveyors & Tubes
Tools for Co-ordinated Control

LAMSON CORPORATION
Lamson St., Syracuse 1, N. Y.

☐ Please send me latest booklet on Lamson Conveyors.

Name..... Class.....

College.....

Address.....

Because of the paper shortage, this booklet can be sent only to those who name their college and class.



TO THE UTTERMOST ENDS OF THE EARTH

And so, the roads lead away to the uttermost ends of the earth . . . to the South Seas of Captain Cook and Admiral Halsey . . . to the Orient of the Great Khan and General Chiang Kai-shek . . . to the England of Wellington and Churchill. Along every mile of those roads you will find American boys reading American newspapers and magazines . . . "including all the ads, three times"; and American books . . . "right out of their covers."

It's a long road that has no turning, and turn these roads surely will . . . to bring our victorious warriors home to the most wonderful land they will see in all their travels. The doctrine of the divine right of kings is no longer accepted; and the age of unbridled autocracy—the day of irresponsible and ruthless force—is rightfully condemned. The new generation is coming up, inspired with a broader understanding of the world and of human justice—which will lead the people along the roads of intelligence and four-fold freedom for all.

In town and country you see these happy leaders of the new world—pedalling their bikes along the roads with laughter and eager chatter—exploring the endless wonders of the woods and the fields—winning hard-fought but fair and friendly contests on the sandlots. Brimming with healthy curiosity, they demand to know, these boys and girls: "What? Why? When? Where? Who? What does Kettering say? Compton? What is the air-distance?" Engineers, here's a coming new market that demands your best!

STONEMAN PRESS * * * COLUMBUS, OHIO
PRINTERS OF THE OHIO STATE ENGINEER
THIRTY-TWO SOUTH FOURTH STREET



PIPING is an important part of almost every engineering project. When you indicate a pipe line on a drawing, think of it in terms of the pipe, the valves, the fittings, the unions, the traps that it will ultimately be translated into. Think of the metals of which it will be made—brass, iron or steel. Consider how it should be assembled—bolted, screwed or welded.

The parts that make up any piping system are many, but it will interest you to know that everything for the complete system is included in the Crane line.

By writing Crane on a piping specification, you are assured that the single source will save valuable time, all down the line. You are also certain that all parts will fit, providing simpler assembly. Long, satisfactory operation results from the high quality which, since 1855, has always characterized piping equipment carrying the name Crane.

CRANE CO., 836 S. Michigan Avenue, Chicago 5, Illinois

HERE'S ENGINEERING DATA TO HELP YOU



Crane engineers have prepared a number of important books and treatises on piping equipment and piping systems. These include the Crane Catalog, listing more than 48,000 different piping items and containing valuable engineering data—Piping Pointers

Manual, packed with information on piping installation and maintenance—Flow of Fluids and Combating Corrosion, two technical papers of value to anyone laying out pipe lines.

*On file for reference
in Engineering Library*

CRANE

**VALVES • FITTINGS • PIPE
PLUMBING • HEATING • PUMPS**